

## h-MIP-1 $\alpha$ (Biotin), synthetic

**10  $\mu$ g**

Catalogue number: CB-01

### Almac Peptide and Protein Technologies

**Chemokines**

Custom Peptides

Site-Specific protein labelling

Modified Histones

Ubiquitylated peptides

### Product Information


<b>Product Name:</b>	h-MIP-1 $\alpha$ (Biotin) CCL3
<b>Synonyms:</b>	CCL3 (Biotin) human, Small-inducible cytokine A3, Macrophage Inflammatory Protein 1-alpha, Tonsillar lymphocyte LD78 alpha protein, G0/G1 switch regulatory protein 19-1, SIS-beta, PAT 464.1
<b>Swiss Prot Accession No:</b>	P10147
<b>Sequence:</b>	ASLAADTP TACCFSYTSR QIPQNFADY FETSSQCSKP GVIFLTKRSR QVCADPSEEW VQKYVSDLEL SA-Linker- K(Biotin)
<b>Modifications:</b>	Biotin incorporated at indicated position in a molar ratio of biotin:peptide of 1:1. Linker used is 8-amino-3,6-dioxaoctanoic acid.

### Specification

<b>HPLC Purity:</b>	>95% area/area at 214nm
<b>Determined Mass:</b>	8.3 kDa
<b>Formulation / Appearance:</b>	White powder lyophilized from water/acetonitrile/ TFA to generate the TFA salt form. Peptide content determined by UV analysis at 280nm.

### Preparation and Storage

<b>Reconstitution / Storage:</b>	It is recommended that unopened vials are stored at -20 °C to -70 °C for periods of up to 18 months. Avoid repeat freeze-thaw cycles. It is recommended vials be centrifuged prior to opening. Water can be used to prepare stock solutions of 20 $\mu$ mol.L <sup>-1</sup> . Stock solutions with up to 30% DMSO/water can also be prepared.
----------------------------------	--



*Not fully tested. For research use only. Not for use in human diagnostic or therapeutic procedures.*